

**IN THE UNITED STATES DISTRICT COURT  
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA**

**CHARLESTON DIVISION**

IN RE: AVAULTA PELVIC SUPPORT SYSTEMS  
PRODUCTS LIABILITY LITIGATION

MDL NO. 2187


-----  
THIS DOCUMENT RELATES TO ALL CASES

**PRETRIAL ORDER #6**  
(Trial Pool)

After review and careful consideration of the arguments made by the parties, I **FIND** that the appropriate pool of cases to be considered as initial bellwether cases is all cases pending in MDL 2187 as of the date of this order. The parties are **ORDERED** to finalize and submit a proposed Case Management Order which includes a trial pool selection procedure wherein the proposed selections from the plaintiffs and defendants are from the defined pool.

The court **DIRECTS** the Clerk to file a copy of this order in 2-10-md-2187 and it shall apply to each member Avaulta-related case previously transferred to, removed to, or filed in this district, which includes counsel in all member cases up to and including civil action number 2-11-cv-00279. In cases subsequently filed in this district, a copy of the most recent pretrial order will be provided by the Clerk to counsel appearing in each new action at the time of filing of the complaint. In cases subsequently removed or transferred to this court, a copy of the most recent pretrial order will be provided by the Clerk to counsel appearing in each new action upon removal or transfer. It shall be the responsibility of the parties to review and abide by all pretrial orders previously entered by the court. The orders may be accessed through the CM/ECF system or the court's website at

ENTER: April 25, 2011

  
Joseph R. Goodwin, Chief Judge