

**IN THE UNITED STATES DISTRICT COURT  
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA**

**CHARLESTON DIVISION**

IN RE: AMERICAN MEDICAL SYSTEMS, INC.,  
PELVIC REPAIR SYSTEMS  
PRODUCTS LIABILITY LITIGATION

MDL NO. 2325

---

THIS DOCUMENT RELATES TO ALL WAVE 3 CASES

**PRETRIAL ORDER # 250**

(Notice of Correction of Typographical error in PTO # 249,  
Docket Control Order - American Medical Systems Inc. Wave 3 Cases)

By Pretrial Order “(PTO)” No. 249, I set most of the remaining cases in this MDL on a Docket Control Order. It has come to my attention that there is a typographical error in PTO No. 249 at paragraph A. Scheduling Deadlines. The typographical error reads as follows:

Deadline to file list of general causation Experts in each individual Wave 7 case	09/11/2018
--	------------

**The corrected line is as follows:**


<b>Deadline to file list of general causation Experts in each individual Wave 3 case</b>	<b>09/11/2018</b>
--	-------------------

PTO No. 249 ordered that the “following deadlines immediately apply in all Wave 3 cases[.]” and reiterated in paragraph A that the deadlines shall apply in all American Medical Systems, Inc. Wave 3 cases. The typographical error does not amount to a substantive error and does not change any deadlines or requirements of PTO No. 249.

**I FIND that this Notice of Correction of Typographical Error, filed in American Medical Systems, Inc. MDL 2:12-md-2325 is sufficient notice to all parties in Wave 3 cases of the typographical error.**

The court **DIRECTS** the Clerk to file a copy of this order in 2:12-md-2325 and it shall serve as notice to each member related case previously transferred to, removed to, or filed in this district, which includes counsel in all member cases up to and including civil action number 2:18-cv-00099. In cases subsequently filed in this district, a copy of the most recent pretrial order will be provided by the Clerk to counsel appearing in each new action at the time of filing of the complaint. In cases subsequently removed or transferred to this court, a copy of the most recent pretrial order will be provided by the Clerk to counsel appearing in each new action upon removal or transfer. It shall be the responsibility of the parties to review and abide by all pretrial orders previously entered by the court. The orders may be accessed through the CM/ECF system or the court's website at [www.wvsd.uscourts.gov](http://www.wvsd.uscourts.gov).

ENTER: February 2, 2018



JOSEPH R. GOODWIN  
UNITED STATES DISTRICT JUDGE